L	Hits	Search Text	DB	Time stamp
Number				
-	1109	((translat\$3 convert\$3 transform\$3) with	USPAT;	2004/06/14
		(format language\$1) with (message\$1	US-PGPUB;	17:40
		request\$1)) and ((legacy adj (application\$1 program\$1 system\$1))	EPO; JPO;	
		(applications) stand\$lalone)	DERWENT; IBM TDB	
_	702	(((translat\$3 convert\$3 transform\$3) with	USPAT;	2004/06/09
	/ / / /	(format language\$1) with (message\$1	US-PGPUB;	17:04
		request\$1)) and ((legacy adj	EPO; JPO;	17.01
		(application\$1 program\$1 system\$1))	DERWENT;	
		stand\$1alone)) and server\$1 and client\$1	IBM TDB	
-	180	((((translat\$3 convert\$3 transform\$3)	USPAT;	2004/06/09
		with (format language\$1) with (message\$1	US-PGPUB;	17:05
		request\$1)) and ((legacy adj	EPO; JPO;	
		(application\$1 program\$1 system\$1))	DERWENT;	
		stand\$1alone)) and server\$1 and client\$1)	IBM_TDB	
	157	and (connector\$1 transfomer\$1)		2024/25/22
	157	((((translat\$3 convert\$3 transform\$3)	USPAT;	2004/06/09
		with (format language\$1) with (message\$1	US-PGPUB;	17:01
		request\$1)) and ((legacy adj (application\$1 program\$1 system\$1))	EPO; JPO; DERWENT;	
		stand\$lalone)) and server\$1 and client\$1)	IBM TDB	
		and (metadata metamodel)	1011-100	
_	357	((translat\$3 convert\$3 transform\$3) with	USPAT;	2004/06/09
		(message\$1 request\$1 response\$1)).ab. and	US-PGPUB;	17:03
		((legacy adj (application\$1 program\$1	EPO; JPO;	
		system\$1)) stand\$1alone)	DERWENT;	
			IBM_TDB	
_	19	(((translat\$3 convert\$3 transform\$3) with	USPAT;	2004/06/09
		(message\$1 request\$1 response\$1)).ab. and	US-PGPUB;	17:04
		((legacy adj (application\$1 program\$1	EPO; JPO;	
		<pre>system\$1)) stand\$1alone)) and (metadata metamodel)</pre>	DERWENT;	
_	4904	((translat\$3 convert\$3 transform\$3) with	IBM_TDB USPAT;	2004/06/09
	""	(message\$1 request\$1 response\$1)) and	US-PGPUB;	17:03
		((legacy adj (application\$1 program\$1	EPO; JPO;	27.00
		system\$1)) stand\$1alone)	DERWENT;	
			IBM TDB	
-	3133	(((translat\$3 convert\$3 transform\$3) with	USPAT;	2004/06/09
		(message\$1 request\$1 response\$1)) and	US-PGPUB;	17:04
		((legacy adj (application\$1 program\$1	EPO; JPO;	
		system\$1)) stand\$1alone)) and server\$1	DERWENT;	
_	460	and (client\$1 user\$1) ((((translat\$3 convert\$3 transform\$3)	IBM_TDB USPAT;	2004/06/09
	400	with (message\$1 request\$1 response\$1))	US-PGPUB;	17:04
		and ((legacy adj (application\$1 program\$1	EPO; JPO;	
		system\$1)) stand\$1alone)) and server\$1	DERWENT;	
		and (client\$1 user\$1)) and (meta\$1data	IBM TDB	
		meta\$1model)	-	
-	447	(((((translat\$3 convert\$3 transform\$3)	USPAT;	2004/06/09
		<pre>with (message\$1 request\$1 response\$1))</pre>	US-PGPUB;	17:05
		and ((legacy adj (application\$1 program\$1	EPO; JPO;	
		system\$1)) stand\$1alone)) and server\$1	DERWENT;	
		and (client\$1 user\$1)) and (meta\$1data	IBM_TDB	
		<pre>meta\$1model)) and request\$1 and (response\$1 result\$1)</pre>		
_	262	((((((translat\$3 convert\$3 transform\$3)	USPAT;	2004/06/09
		with (message\$1 request\$1 response\$1))	US-PGPUB;	17:10
		and ((legacy adj (application\$1 program\$1	EPO; JPO;	
		system\$1)) stand\$1alone)) and server\$1	DERWENT;	
		and (client\$1 user\$1)) and (meta\$1data	IBM_TDB	
		meta\$1model)) and request\$1 and	_	
		(response\$1 result\$1)) and (connector\$1		
	_	transfomer\$1 adapter\$1)		
-	2	6499036.pn.	USPAT;	2004/06/09
			US-PGPUB;	17:10
			EPO; JPO; DERWENT;	
			IBM TDB	
	L	<u> </u>	T DIJ I DD	l

			·	
-	1	"5872971".PN.	USPAT	2004/06/09
-	1	"5870545".PN.	USPAT	2004/06/09
_	1	"5854750".PN.	USPAT	2004/06/09
_	1	"5870545".PN.	USPAT	2004/06/09
-	1	"5872971".PN.	USPAT	2004/06/09
	1	"5787300".PN.	USPAT	2004/06/09
-	1	"5732270".PN.	USPAT	2004/06/09
-	176	<pre>program\$1)) same (GUI\$1 browser\$1)) and ((server\$1 (application adj server\$1)) with ((cobol legacy (stand\$1alone)) adj2 (application\$1 program\$1)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/10 16:28
	60	<pre>((((user\$1 client\$1) near3 (application\$1 program\$1)) same (GUI\$1 browser\$1)) and ((server\$1 (application adj server\$1)) with ((cobol legacy (stand\$1alone)) adj2 (application\$1 program\$1)))) and ((translat\$3 convert\$3 transform\$3) with (message\$1 request\$1 result\$1 response\$1))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/10 17:18
-	2	<u></u>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/10 16:56
-	2	20030163585.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/10 16:58
_	2	20020078010.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/10 16:58
-	29212	<pre>((((user\$1 client\$1) near3 (application\$1 program\$1)) same (GUI\$1 browser\$1)) and ((server\$1 (application adj server\$1)) with ((cobol legacy (stand\$1alone)) adj2 (application\$1 program\$1)))) 709/\$.ccls.</pre>	USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/10
	22	<pre>((((user\$1 client\$1) near3 (application\$1 program\$1)) same (GUI\$1 browser\$1)) and ((server\$1 (application adj server\$1)) with ((cobol legacy (stand\$1alone)) adj2 (application\$1 program\$1)))) and 719/\$.ccls.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/10
_	74	<pre>((((user\$1 client\$1) near3 (application\$1 program\$1)) same (GUI\$1 browser\$1)) and ((server\$1 (application adj server\$1)) with ((cobol legacy (stand\$1alone)) adj2 (application\$1 program\$1)))) and 709/\$.ccls.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/10 17:23
-	2		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/14
-	2	20030043395.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/14 13:48

US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; IBM TDB U					
EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; JPO; JPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J	-	2	20020002577.pn.		
TBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; USPGPUB; USPAT; USPAT; USPGPUB; USPAT; USPGPUB; USPAT; USPGPUB; USPAT; USPGPUB; USPAT; USPGPUB; USPAT; USPGPUB; USPAT; USPAT; USPGPUB; USPAT; USPG				EPO; JPO;	
US-PGPUB; EFO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EFO; JPO;				IBM_TDB	
EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; IBM TDB USPAT; and output\$1 us output\$1	-	1	20040111464.pn.		,
- 2 20020038335.pn. IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;				EPO; JPO;	
- 2 20020038335.pn. USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US				1	
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; data response\$1 result\$1) and input\$1 EPO; JPO; DERWENT; IBM_TDB USPAT; (language\$1 format\$1 request\$1 message\$1 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; data response\$1 result\$1) and input\$1 EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; IBM_TDB USPAT; IB	-	2	20020038335.pn.	USPAT;	
- 2 20030163585.pn. IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; US-PGPUB; EPO; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB;					11:52
2 20030163585.pn. USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; data response\$1 result\$1)) and input\$1 uspat; US-PGPUB; data response\$1 result\$1)) and input\$1 uspat; US-PGPUB; data response\$1 result\$1)) and input\$1 uspat; US-PGPUB; and output\$1 uspat; IBM_TDB USPĀT; US-PGPUB; and output\$1 uspat; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB uspat; Ispat;					
- 275277 ((convert\$3 transform\$3 translat\$3) with (language\$1 format\$1 request\$1 message\$1 US-PGPUB; and output\$1 - 205042 ((convert\$3 transform\$3 translat\$3) near5 (language\$1 format\$1 request\$1 message\$1 US-PGPUB; adata response\$1 result\$1)) and input\$1 US-PGPUB; language\$1 format\$1 request\$1 message\$1 US-PGPUB; language\$1 format\$1 request\$1 message\$1 US-PGPUB; language\$1 data response\$1 result\$1)) and input\$1 EPO; JPO; and output\$1 - 14895 (((convert\$3 transform\$3 translat\$3) near5 (language\$1 format\$1 request\$1 message\$1 US-PGPUB; language\$1 language\$1 format\$1 request\$1 us-PGPUB; language\$1 language\$1 format\$1 request\$1 us-PGPUB; language\$1 language\$1 language\$1 result\$1)) and language\$1 language\$1 language\$1 result\$1)) and language\$1 language\$1 language\$1 result\$1) and language\$1 language\$1 language\$1 result\$1) and language\$1 language\$1 language\$1 language\$1 result\$1) and language\$1 language\$	-	2	20030163585.pn.	USPAT;	1
- 275277 ((convert\$3 transform\$3 translat\$3) with (language\$1 format\$1 request\$1 message\$1 US-PGPUB; ePO; JPO; and output\$1 - 205042 ((convert\$3 transform\$3 translat\$3) near5 (language\$1 format\$1 request\$1 message\$1 US-PGPUB; ePO; JPO; and output\$1 US-PGPUB; land output\$1 land output\$1 US-PGPUB; land language\$1 format\$1 request\$1 message\$1 US-PGPUB; land language\$1 language\$1 land language\$1 land language\$1 land language\$1 language					11:52
- 275277 ((convert\$3 transform\$3 translat\$3) with (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 EPO; JPO; DERWENT; IBM TDB USPĀT; (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; data response\$1 result\$1)) and input\$1 EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; IBM TDB USPĀT; US-PGPUB; IBM TDB USPĀT; US-PGPUB; IBM TDB USPĀT; US-PGPUB; message\$1 data response\$1 result\$1)) and input\$1 and output\$1 and output\$1) and client\$1 and DERWENT; IBM_TDB				DERWENT;	
data response\$1 result\$1)) and input\$1 and output\$1 - 205042 ((convert\$3 transform\$3 translat\$3) near5 (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 and output\$1 - 14895 (((convert\$3 transform\$3 translat\$3)) near5 (language\$1 format\$1 request\$1 near5 (language\$1 format\$1 request\$1 near5 (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 and output\$1) and client\$1 and server\$1 DERWENT; US-PGPUB; US-P	-	275277			1
and output\$1 - 205042 ((convert\$3 transform\$3 translat\$3) near5 (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 EPO; JPO; and output\$1 - 14895 (((convert\$3 transform\$3 translat\$3) near5 (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 uspAT; lBM_TDB uspAT; near5 (language\$1 format\$1 request\$1 us-PGPUB; message\$1 data response\$1 result\$1)) and input\$1 and output\$1) and client\$1 and perwent; server\$1				•	14:24
- 205042 ((convert\$3 transform\$3 translat\$3) near5 (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 EPO; JPO; and output\$1 ((convert\$3 transform\$3 translat\$3) near5 (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 uspAT; lbM_TDB uspAT; near5 (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 and output\$1) and client\$1 and perwent; lbM_TDB				DERWENT;	
(language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 EPO; JPO; and output\$1 - 14895 (((convert\$3 transform\$3 translat\$3) uspAT; near5 (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 and output\$1) and client\$1 and server\$1 Derwent; D	-	205042	 ((convert\$3 transform\$3 translat\$3) near5		2004/06/14
and output\$1 - 14895 (((convert\$3 transform\$3 translat\$3)					13:50
- 14895 (((convert\$3 transform\$3 translat\$3) USPĀT; 2004/06/14 near5 (language\$1 format\$1 request\$1 US-PGPUB; message\$1 data response\$1 result\$1)) and input\$1 and output\$1) and client\$1 and client\$1 and server\$1					
near5 (language\$1 format\$1 request\$1 US-PGPUB; message\$1 data response\$1 result\$1)) and input\$1 and output\$1) and client\$1 and DERWENT; server\$1	_	14895	(((convert\$3 transform\$3 translat\$3)		2004/06/14
input\$1 and output\$1) and client\$1 and DERWENT; server\$1			near5 (language\$1 format\$1 request\$1	US-PGPUB;	
	_	903	<pre>server\$1 ((((convert\$3 transform\$3 translat\$3)</pre>	IBM_TDB USPAT;	2004/06/14
near5 (language\$1 format\$1 request\$1 US-PGPUB; 14:25		303	near5 (language\$1 format\$1 request\$1	US-PGPUB;	1
message\$1 data response\$1 result\$1)) and EPO; JPO; input\$1 and output\$1) and client\$1 and DERWENT;					
server\$1) and ((legacy stand\$1alone) adj2 IBM_TDB (application\$1 program\$1))			server\$1) and ((legacy stand\$1alone) adj2	IBM_TDB	
- 620 (((((convert\$3 transform\$3 translat\$3) USPAT; 2004/06/14	-	620	(((((convert\$3 transform\$3 translat\$3)		2004/06/14
near5 (language\$1 format\$1 request\$1 US-PGPUB; 14:25 message\$1 data response\$1 result\$1)) and EPO; JPO;					14:25
input\$1 and output\$1) and client\$1 and DERWENT;			input\$1 and output\$1) and client\$1 and	DERWENT;	
server\$1) and ((legacy stand\$1alone) adj2 IBM_TDB (application\$1 program\$1))) and (data adj			(application\$1 program\$1))) and (data adj	TRW_IDB	
(type structure)) - 352 ((((((convert\$3 transform\$3 translat\$3) USPAT; 2004/06/14	_	352		USPAT:	2004/06/14
near5 (language\$1 format\$1 request\$1 US-PGPUB; 14:24			near5 (language\$1 format\$1 request\$1	US-PGPUB;	
message\$1 data response\$1 result\$1)) and EPO; JPO; input\$1 and output\$1) and client\$1 and DERWENT;			input\$1 and output\$1) and client\$1 and	DERWENT;	
server\$1) and ((legacy stand\$1alone) adj2 IBM_TDB (application\$1 program\$1))) and (data adj				IBM_TDB	
(type structure))) and (00			(type structure))) and (00		
object\$1oriented) - 228 ((((((convert\$3 transform\$3 translat\$3) USPAT; 2004/06/14	_	228		USPAT;	2004/06/14
near5 (language\$1 format\$1 request\$1 US-PGPUB; 13:55 message\$1 data response\$1 result\$1)) and EPO; JPO;			near5 (language\$1 format\$1 request\$1	US-PGPUB;	1 1
input\$1 and output\$1) and client\$1 and DERWENT;			input\$1 and output\$1) and client\$1 and	DERWENT;	
server\$1) and ((legacy stand\$1alone) adj2 IBM_TDB (application\$1 program\$1))) and (data adj				IBM_TDB	
(type structure))) and (00			(type structure))) and (00		
object\$loriented)) and pointer\$1 and reference\$1	<u> </u>				

_	31	<pre>((((((((convert\$3 transform\$3 translat\$3) near5 (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 and output\$1) and client\$1 and server\$1) and ((legacy stand\$1alone) adj2 (application\$1 program\$1))) and (data adj (type structure))) and (OO object\$1oriented)) and pointer\$1 and reference\$1) and 719/\$.ccls.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 13:55
	83	<pre>(((((((((convert\$3 transform\$3 translat\$3) near5 (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 and output\$1) and client\$1 and server\$1) and ((legacy stand\$1alone) adj2 (application\$1 program\$1))) and (data adj (type structure))) and (OO object\$1oriented)) and pointer\$1 and reference\$1) and 709/\$.ccls.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14
	35	<pre>(((((((convert\$3 transform\$3 translat\$3) near5 (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 and output\$1) and client\$1 and server\$1) and ((legacy stand\$1alone) adj2 (application\$1 program\$1))) and (data adj (type structure))) and (OO object\$1oriented)) and pointer\$1 and reference\$1) and 717/\$.ccls.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 14:19
_	56	<pre>((((((((convert\$3 transform\$3 translat\$3) near5 (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 and output\$1) and client\$1 and server\$1) and ((legacy stand\$1alone) adj2 (application\$1 program\$1))) and (data adj (type structure))) and (OO object\$1oriented)) and pointer\$1 and reference\$1) and 707/\$.ccls.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 14:21
_	216026	((convert\$3 transform\$3 translat\$3) with (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/14 14:24
-	870	<pre>(((convert\$3 transform\$3 translat\$3) with (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)).ab.) and (00 object\$1oriented)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/14 14:24
_	459	<pre>((((convert\$3 transform\$3 translat\$3) with (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)).ab.) and (OO object\$1oriented)) and (data adj (type structure))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 14:25
	43	<pre>(((((convert\$3 transform\$3 translat\$3) with (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)).ab.) and (OO object\$1oriented)) and (data adj (type structure))) and ((legacy stand\$1alone) adj2 (application\$1 program\$1)) and (client\$1 user\$1) and server\$1</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 14:31
-	12	<pre>((((((convert\$3 transform\$3 translat\$3) with (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)).ab.) and (OO object\$1oriented)) and (data adj (type structure))) and (client\$1 user\$1) and server\$1) and (pointer\$1 same reference\$1) and (input\$1 same output\$1 same parameter\$1)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 14:32

_	323	(((((convert\$3 transform\$3 translat\$3)	USPAT;	2004/06/14
		with (language\$1 format\$1 request\$1	US-PGPUB;	14:35
		<pre>message\$1 data response\$1 result\$1)).ab.)</pre>	EPO; JPO;	
		and (00 object\$loriented)) and (data adj	DERWENT;	
		(type structure))) and (client\$1 user\$1)	IBM TDB	
		and server\$1	_	
-	2	20020038336.pn.	USPAT;	2004/06/14
		_	US-PGPUB;	17:40
			EPO; JPO;	
			DERWENT;	
			IBM TDB	